CONTENTS—VOLUME 13

Number 1

Editorial: *Leukemia Research* thirteen years on	1	*T. Hamblin*
A case-control study of aplastic anemia	3	*M. S. Linet, J. A. Markowitz, L. L. Sensenbrenner, S. G. Warm, S. Weida, M. L. Van Natta and M. Szklo*
Indirect induction of differentiation of normal and leukemic myeloid cells by recombinant interleukin 1	13	*J. Lotem and L. Sachs*
Effects of simultaneous and sequential exposure to granulocytic and monocytic inducers on the choice of differentiation pathway in HL-60 promyelocytic leukemia cells	23	*S. Zinzar, T. Ohnuma and J. F. Holland*
Higher T-cell imbalance and growth factor receptor expression in B-cell chronic lymphocytic leukemia (B-CLL) as compared to monoclonal B-cell lymphocytosis of undetermined significance (B-MLUS)	31	*C. Garcia, A. Rosén, E. Kimby, M. Aguilar-Santelises, M. Jondal, M. Björkhilm, G. Holm and H. Mellstedt*
Increased sensitivity to 1-β-D-arabinofuranosylcytosine in P388 murine leukemic cells resistant to etoposide	39	*M. Higashigawa, M. Ido, T. Ohkubo, H. Kawasaki, H. Kamiya, M. Sakurai, K. Taniguchi and M. Hamazaki*
Monoclonal antibody directed to human T-cell malignancy antigen	43	*M. Minegishi, S. Tsuchiya, N. Minegishi, O. Yoshie and T. Konno*
Oncogene expression in Rauscher murine leukemia virus induced erythroid, myeloid and lymphoid cell lines	53	*N. J. de Both, M. J. M. van der Feltz, A. Mooren, D. Vermaas, P. Klaassen, E. H. Rhijnsburger and M. E. Kranendonk-Odijk*
S-100 antigen and calmodulin in human leukemic cells	65	*H. Wada, S. Shirakawa, T. Yamakado, S. Ohkubo, T. Tanaka, T. Yamamoto and H. Hidaka*
The elimination of malignant B lymphocytes from human bone marrow using monoclonal antibodies DLC-48 and LN-1 and human serum: a preclinical study	71	*J. N. Winter, A. L. Epstein, B. Bass and R. J. Marder*
Acceleration of a murine T-cell leukemia associated with loss of interleukin-3 producing activity	77	*A. Kuriu, J. Fujita, Y. Kanakura, T. Yonezawa, K. Yoshida and Y. Kitamura*
Expression of haematopoietic progenitor cell-associated antigen BI-3C5/CD34 in leukaemia	83	*D. Batinić, R. Tindle, D. Boban, A. Tiefenbach, L. Rajić, B. Labar, D. Nemet and M. Boranić*
Cytotoxic effects on viable human leukemic cells by combinations of lymphokine activated killer cells and monoclonal antibodies	87	*G. Vasilopoulos, A.-M. Sjögren and P. Reizenstein*
Case Report		
Poorly expressed CD2 antigen on the leukemic cells of adult T-cell leukemia and chronic lymphocytic leukemia of T-cell lineage	93	*K. Tamura, K. Sagawa, H. Satoh, J. Torigoe, N. Kimura, Y. Araki and S. Makino*
	101	Announcements

Number 2

Immunoglobulin and T-cell receptor gene rearrangements in Hodgkin's disease and Ki-1-positive anaplastic large cell lymphoma: dissociation between phenotype and genotype	103	*H. Herbst, G. Tippelmann, I. Anagnostopoulos, J. Gerdes, R. Schwarting, T. Boehm, S. Pileri, D. B. Jones and H. Stein*
Human myeloid cells possessing high-affinity receptors for granulocyte-macrophage colony stimulating factor	117	*P. V. Byrne*

Cooperative effects of human recombinant granulocyte-macrophage colony stimulating factor and human recombinant erythropoietin in inducing erythroid differentiation of the human erythroleukaemia cell line K562 clonogenic cells — 127 *H. Tawhid, W. Labastide, C. Barker and J. Rees*

Evidence of recombinant ecotropic provirus integration in thymic lymphomas induced by direct or indirect radiation effects — 131 *H. Baylac-Kalabokias, T. Astier-Gin, B. Borremans, E. Legrand, R. Hooghe, M. P. Houben-Defresne, M. Janowski, J. F. Duplan and B. Guillemain*

Evidence for the *in vivo* production of interleukin-3 in lethally irradiated mice transplanted with syngeneic murine splenocytes — 145 *M. Hirokawa, H. Takatsu, A. Chubachi, K. Kudo, T. Takahashi, K. Yoshida and A. B. Miura*

Synergistic effect of methotrexate and 1-β-D-arabinofuranosylcytosine on the generation of DNA strand breaks in a human promyelocytic leukemia cell line — 151 *A. Tanizawa, M. Kubota, T. Takimoto, T. Kito, Y. Akiyama, Y. Kiriyama and H. Mikawa*

Medium pH determines the differentiation of human promyelocytic leukemia cells to basophils or eosinophils by culturing in a protein- and serum-free medium — 157 *K. Muroi, R. Sasaki, Y. Miura and K. Ohyashiki*

Proto-oncogene expression during early myeloid differentiation of normal peripheral blood progenitor cells — 165 *M. R. Baer, Xue Zhi Gao, H. Sato, P. Singh and H. D. Preisler*

Diagnostic significance of dysplastic features of peripheral blood polymorphs in myelodysplastic syndromes — 173 *R. Hast, I. Nilsson, S. Widell and Å. Öst*

IMP dehydrogenase: inhibition by the anti-leukemic drug, tiazofurin — 179 *Y. Yamada, Y. Natsumeda, Y. Yamaji, H. N. Jayaram, G. J. Tricot, R. Hoffman and G. Weber*

C-*myc* protein kinetics during growth and differentiation of CD34 (MY10)-positive blast cells from normal human marrow — 185 *M. A. Bains, P. Baines, J. Hodgetts, T. G. Hoy and A. Jacobs*

Increasing the accumulation of daunorubicin in human leukemic cells by prolonging the infusion time — 191 *C. Paul, U. Tidefelt, J. Liliemark and C. Peterson*

197 Announcements

Number 3

Editorial: Management of multiple myeloma — 199 *P. Reizenstein*

Human acute lymphoblastic leukemia cell lines with characteristics of intraclonal variation in B-cell differentiation stage — 203 *T. Hirata, Y. Matsuo, N. Sadamori, O. Iryo, K. Yoshimoto and M. M. Yokoyama*

Stimulation of CFU-Mk colony growth by normal plasma and plasma from myelodysplastic patients — 213 *M. Podolak-Dawidziak*

Studies on sensitivity of human GM-CFU and L-CFU to hyperthermic killing *in vitro* — 217 *Wan-ming Da, Yuan Liu and Shu-nan Wei*

γ-IFN induces a differential expression of HLA-DR, DQ and DP antigens on peripheral blood myeloid leukemic blasts at various stages of differentiation — 221 *M. Lecchi, E. Lovisone, C. Genetta, D. Peruccio, L. Resegotti and P. Richiardi*

Treatment of fetal bovine serum with activated charcoal enhances spontaneous differentiation of murine erythroleukemia cells — 227 *T. Murate and T. Kaneda*

Tissue specificity in the expression of Friend erythroleukemic virus sequences in infected mouse tissues — 233 *M. E. Joesten, M. E. Royston and B. G.-T. Pogo*

Reactivity of a new Pan-B monoclonal antibody (MA6) against human leukaemias — 241 *Z. Chen, M. H. Tang, K. H. Chan, M. H. Ng and R. Liang*

Characterization of clonogenic cells in refractory anemia with excess of blasts (RAEB-CFU): response to recombinant hematopoietic growth factors and maturation phenotypes — 245 *H. C. Schouten, R. Delwel, F. J. Bot, A. Hagemeijer, I. P. Touw and B. Löwenberg*

Contrasting effect of IFN-γ and IFN-α/β on differentiation of some clones of mouse myeloid leukemic cells — 253 *Y. Yamamoto-Yamaguchi, M. Tomida and M. Hozumi*

Abnormalities in T-cell associated rearrangement of T-cell receptor gamma chain genes in B-cell chronic lymphocytic leukemia — 259 *B. F. Leber, J. J. Murphy and J. D. Norton*

267 Announcements

Number 4

Enzyme activities of leukemic cells and biochemical changes induced by deoxycoformycin *in vitro*—lack of correlation with clinical reponse — 269 *A. D. Ho, K. Ganeshaguru, W. Knauf, G. Dietz, I. Trede, A. V. Hoffbrand and W. Hunstein*

In K562 leukemia cells treated with doxorubicin and hemin, a decrease in c-*myc* mRNA expression correlates with loss of self-renewal capability but not with erythroid differentiation — 279 *G. Toffoli, A. Viel, C. Bevilacqua, R. Maestro, L. Tumiotto and M. Boiocchi*

Lithium and hydrocortisone interactions on cell growth and gene expression in human promyelocytic leukemia (HL60) — 289 *S. C. Knight, D. Harnish, E. Scheid, M. Koekebakker and R. D. Barr*

Human interleukin 4 regulates the phenotype of lymphocytes generated during mixed lymphocyte culture and inhibits the IL-2-induced development of LAK function in normal and leukaemic cells — 297 *B. Jin, A. F. Lopez, S. Gillis, C. A. Juttner, M. A. Vadas and G. F. Burns*

Flow cytometric DNA analysis: a prognostic tool in non-Hodgkin's lymphoma — 307 *B. Christensson, C. Lindemalm, B. Johansson, H. Mellstedt, B. Tribukait and P. Biberfeld*

Release of natural killer cytotoxic factor in patients with lymphoproliferative disease of granular lymphocytes — 315 *R. Zambello, L. Trentin, C. Agostini, T. Chisesi, M. Vespignani, G. Pizzolo, F. Pandolfi, F. Ensoli and G. Semenzato*

Limiting dilution analysis of the frequency of IL2 responsive T cells in lymph nodes involved by B-cell non-Hodgkin's lymphomas — 323 *T. Bonnefoix, M.-P. Piccinni, M.-C. Jacob, B. Pegourie and J.-J. Sotto*

Comparison of erythroid progenitor cell growth *in vitro* in polycythemia vera and chronic myelogenous leukemia: only polycythemia vera has endogenous colonies — 331 *R. S. Weinberg, A. Worsley, H. S. Gilbert, J. Cuttner, P. D. Berk and B. P. Alter*

Phase II trial of fenretinide [*N*-(4-hydroxyphenyl) retinamide] in myelodysplasia: possible retinoid-induced disease acceleration — 339 *H. S. Garewal, A. List, F. Meyskens, A. Buzaid, B. Greenberg and S. Katakkar*

345 Announcements

Number 5

Editorial

The toxicity of the bone seeking radionuclides — 347 *F. W. Spiers and J. Vaughan*

Review

Mechanisms of drug resistance in acute leukaemia — 351 *A. Hall, A. R. Cattan and S. J. Proctor*

Morphometric analysis of chronic B-cell leukemias—an aid to the classification of lymphoid cell types — 357 *D. Robinson, P. Lackie, V. Aber and D. Catovsky*

Specific chromosome changes and non-occupational exposure to potentially carcinogenic agents in acute leukemia in China — 367 *You-Sheng Li, Yu-Lan Zhao, Qi-Po Jiang and Cong-Li Yang*

Immunohistological assessment of bone marrow biopsies from patients with hairy cell leukemia: changes following treatment with alpha-2-interferon and deoxycoformycin — 377 *J. Thaler, H. Denz, O. Dietze, G. Gastl, A. D. Ho, C. Gattringer, R. Greil, M. Lechleitner, C. Huber and H. Huber*

Effect of 5637-conditioned medium on peripheral blood granulocyte-macrophage progenitors in normal subjects and patients with the myelodysplastic syndrome — 385 *G. B. Tennant and A. Jacobs*

A new approach to the detection of DNA damage — 391 *M. Kawamura and H. D. Preisler*

Induction of leukemic infiltration by allogeneic transfer of HTLV-1-transformed T cells in rabbits — 399 *K. Ogawa, S. Matsuda and A. Seto*

HL-R5 and HL-D4: two differentiation resistant HL-60 variants — 407 *D. C. Darling, M. H. K. Linskens and F. Farzaneh*

Ecotropic virus involvement in spontaneous B-cell lymphomas of CWD/LeAgI mice — 417 *J. M. Angel and H. G. Bedigian*

427 Announcements

Number 6

Editorial

Randomized controlled trials in hematologic malignancies — 429 *D. V. Razis*

Delayed maturation of skin window macrophages in myelodysplastic syndromes — 433 *H. Zwierzina, N. Sepp, E. Ringler and F. Schmalzl*

Combined effects of interferon and steroid hormones on 2′5′-oligoadenylate synthetase activity in chronic lymphocytic leukemia cells — 437 *P. L. Triozzi, K. B. Avery, H. M. Abou-Issa and Ting-Chao Chou*

Deletion of c-*ets*1 and T3γ loci from the 11q− chromosome in the human monoblastic cell line U937 — 445 *J. Shipley and D. Sheer*

Whole blood assay for NK activity in splenectomized and non-splenectomized hairy cell leukemia patients during IFN-α-2b treatment — 451 *B. Nielsen, P. Hokland, J. Ellegaard, H. Hasselbalch and M. Hokland*

Leucocyte superoxide dismutase levels in acute and chronic leukemias — 457 *E. Kökoğlu, G. Aktuğlu and A. Belce*

The oncogene ETS1 is distant from the chromosome 11 breakpoint in leukaemic cells with the t(11;19)(q23;p13) — 459 *M. A. Kennedy, C. M. Morris and P. H. Fitzgerald*

The epidemiology of non-Hodgkin's lymphoma in the North-East of Italy: a hospital-based case-control study — 465 *S. Franceschi, D. Serraino, E. Bidoli, R. Talamini, U. Tirelli, A. Carbone and C. La Vecchia*

T-cell receptor gene rearrangement in B-cell non-Hodgkin's lymphoma: correlation with methylation and expression — 473 *B. F. Leber, P. Amlot, A. V. Hoffbrand and J. D. Norton*

The significance of the ratio of blood to marrow hematopoietic progenitors (CFU-GM and CFU-GEMM) in relation to disease state of patients with acute lymphoblastic leukemia — 483 *D. S. Chervinsky, C. K. Tebbi and A. I. Freeman*

Sensitivity of fresh leukemic cells to T101 ricin A-chain immunotoxin: a comparative study between Fab fragment and whole Ig conjugates — 491 *M. Chiron, J. M. Derocq, E. Kuhlein, F. Roubinet, C. Demur, H. Grandjean, F. Huguet, J. P. Jaffrezou, F. Jansen and G. Laurent*

Brief Communication

Effect of CD3 antibodies on cytotoxicity against leukemic cells resistant to activated killer cells — 501 *P. Reizenstein and G. Vasilopoulos*

Meeting Report

4th International Workshop on CLL — 505 *R. P. Gale, J.-L. Binet, D. Catovsky, G. Dighiero, E. Montserrat, K. Rai, C. Rozman and A. Sawitsky*

Letters to the Editor

Comments on "Differences in DNA-fingerprints between remission and relapse in childhood acute lymphoblastic leukemia" 511 *S. A. Ridge and M. Worwood*

Reply to the Comments 511 *S. Pakkala and L. Peltonen*

513 Announcements

Number 7

Editorial

Are low doses of radiation leukemogenic in children? 515 *U. Bäverstam and M. Holmberg*

Immunological phenotypic pattern of acute lymphoblastic leukaemia in Egypt 519 *A. M. Kamel, M. M. Assem, E. S. Jaffe, I. Magrath, M. I. Aboul Enein and D. S. Hindawy*

The role of marrow accessory cell populations in the augmentation of human erythroid progenitor cell (BFU-E) proliferation by prostaglandin E 527 *K. H. Nocka, O. G. Ottman and L. M. Pelus*

Cytogenetic studies on the adult T-cell leukemia in Japan 535 *K. Fujita, Y. Yamasaki, H. Sawada, Y. Izumi, S. Fukuhara and H. Uchino*

Alteration of intracellular actin levels induced by phorboldiester in human HL-60 leukemia cells susceptible or resistant to differentiation, and the effects of protein kinase inhibitors 545 *Y. Uemura, M. Nishikawa, F. Komada and S. Shirakawa*

Characterization of cell markers in type B retroviral-induced thymic lymphomas—I. Surface antigen phenotype and karyotype in developing and primary lymphomas 553 *R. E. Mueller, J. K. Ball and F. P. H. Chan*

Characterization of cell markers in type B retroviral-induced thymic lymphomas—II. Surface antigen phenotype, karyotype and proviral integration pattern in cultured lymphoma cells and cloned lines 561 *R. E. Mueller, J. K. Ball and F. P. H. Chan*

Impaired *in-vitro* proliferation of hemopoietic precursors in HIV-1-infected subjects 573 *Y. Lunardi-Iskandar, V. Georgoulias, A. M. Bertoli, Y. Augery-Bourget, A. Ammar, D. Vittecoq, W. Rosenbaum, P. Meyer and C. Jasmin*

The DNA synthesis of leukemic (L_2C) guinea pig B lymphocytes involves a permanent activation of protein kinase C without corresponding phosphoinositide hydrolysis 583 *H. J. Vial, M. R. Parant, J. S. Marie, A. M. Laurent and C. J. Le Peuch*

Differential sensitivity to (*dl*)-5-methyltetrahydrofolate of normal CFU-GM and HL-60 cells 595 *V. Gattei, P. A. Bernabei and P. R. Ferrini*

Specific binding of radioiodinated human GM-CSF to the blast cells of acute myeloblastic leukemia 599 *I. Murohashi, S. Tohda, T. Suzuki, K. Nagata, Y. Yamashita and N. Nara*

Treatment of RAEB-t with intensive chemotherapy and GM-CSF 605 *F. Brito-Babapulle, J. A. D. Lord and D. N. Whitmore*

Maturation induction in freshly isolated human myeloid leukemic cells, 1.25 $(OH)_2$ vitamin D3 being the most potent inducer 609 *G. J. Ossenkoppele, P. W. Wijermans, J. J. P. Nauta, P. C. Huijgens and M. M. A. C. Langenhuijsen*

The effects of thymidine on deoxyribonucleotide pool levels, cytotoxicity and mutation induction in Friend mouse erythroleukaemia cells 615 *Y. A. Wilkinson and P. G. McKenna*

Quantitative morphological aspects of granulocytic differentiation induced in HL-60 cells by dimethylsulfoxide and retinoic acid 621 *J. Dufer, D. Biakou, P. Joly, H. Benoist, Y. Carpentier and A. Desplaces*

Brief Communication

An attempt to select pseudonormal revertants of Friend erythroleukaemia cells using cytochalasin B — 629 *R. Neill and I. Hickey*

Open Forum

Differentiation induction therapy of myelodysplastic syndromes — 633 *H. T. Hassan and J. Rees*

Number 8

Review

Etoposide in leukemia, lymphoma and bone marrow transplantation — 639 *E. A. Stadtmauer, P. A. Cassileth and R. P. Gale*

The c-*myc* oncogene is regulated independently of differentiation in myeloid cell lines — 651 *P. Roberts, M. Jones, R. Gale, S. Thomas, N. Tidman and D. Linch*

Host metaphases after chemoradiotherapy and allogeneic bone marrow transplantation for acute nonlymphoblastic leukemia — 661 *D. Przepiorka, R. Ramberg and E. D. Thomas*

The pattern of myeloid suppression and recovery after the addition of methotrexate to murine long-term bone marrow culture — 667 *K. Bhaskara Udupa and D. A. Lipschitz*

Evidence for a factor in normal human serum that induces human neutrophilic granulocyte end-stage maturation *in vitro* — 673 *W. H. Evans, S. M. Wilson, J. M. Bednárek, E. A. Peterson, R. D. Knight, M. G. Mage and L. McHugh*

Hemoglobin induction by Ara-C in human erythroleukemic cells (K562) is cell-cycle dependent — 683 *P. E. Wanda and M. M. Walker*

Expression of a novel human pan leucocyte differentiation antigen on leukaemic cells — 689 *A. Henniker, K. F. Bradstock, K. Atkinson, S. Barclay, A. Kabral and P. Grimsley*

In vitro and *in vivo* cytotoxic activity of anti-human leukemia monoclonal antibodies SN5c and SN6 daunorubicin conjugates — 699 *W. C. Biddle, Y. Haruta, B. K. Seon, E. S. Henderson and E. J. Sarcione*

Establishment and partial characterization of a radiation-induced canine monocytic leukemic cell line (RK9ML-1) — 709 *T. Kawakami, G. Cain and N. Taylor*

Mechanism of action of 5-AZA-dC: induced DNA hypomethylation does not lead to aberrant gene expression in human leukemic CEM cells — 715 *J. Bouchard*

723 Announcements

Number 9

Editorial

What is hybrid acute leukemia? — 725 *V. Maitreyan and R. P. Gale*

A simple method for short term culturing bone marrow and unstimulated blood from acute leukemias — 729 *M. J. Mace[illegible] P. Szabo and R. S. Verma*

Acute lymphoblastic leukemia of NK-cell lineage: responses to IL-2 — 735 *S. J. Pirruccello, M. S. Bicak, B. G. Gordon, K. Gajl-Peczalska, D. J. Gnarra and P. F. Coccia*

Induction of aplastic anemia by intra-bone marrow inoculation of a molecularly cloned feline retrovirus — 745 *R. E. Dornsife, P. W. Gasper, J. I. Mullins and E. A. Hoover*

Adaptation of human leukemia HL-60 cells to hydrogen peroxide as oxidative stress — 757 *I. Kasugai and M. Yamada*

Distribution of injected monoclonal antibody in lymphoma-infiltrated spleen — 763 *L. M. Cobb, S. Butler and J. Humphreys*

Pedigree analysis of aryl hydrocarbon hydroxylase inducibility in acute leukemia of childhood	771	*T. S Yamashita, D. Frank, R. Dunn, S. J. Gross and J. L. Blumer*
5-Bromodeoxyuridine (BUdR) quenching of acridine orange fluorescence distinguishes cycling and non-cycling normal and malignant bone marrow cells *in vitro*	781	*A. M. Maddox, D. A. Johnson and M. J. Keating*
B lymphocyte regeneration in marrow and blood after autologous bone marrow transplantation: increased numbers of B cells carrying activation and progression markers	791	*M. Bengtsson, B. Smedmyr, R. Festin, G. Öberg, B. Simonsson and T. H. Tötterman*
Cytofluorometric analysis of thymic interdigitating cells from C57BL/6 mice prior and after leukemogenic X-irradiation	799	*E. Sprecher, H. Giloh, E. Rahamim, E. Yefenof and Y. Becker*
Disruption of stromal niches by diffusible factors in the conditioned media of leukemic cell-lines and sera of chronic myelogenous leukemia patients	811	*A. Shetty, V. K. Bapna and S. G. A. Rao*
Chromosome 6p rearrangements appear to be secondary changes in various haematological malignancies	819	*J. L. Huret, M. Schoenwald, A. Brizard, F. Guilhot, E. Vilmer and J. Tanzer*
Studies on the suppression of HL-60 cell growth *in vitro* by low molecular weight suppressor of human fetal liver origin	825	*Chu-tse Wu, Yu-zhi Wang and Xue-tao Pei*
Correlation of bone marrow colony growth in the myelodysplastic syndromes with the FAB classification and the Bournemouth score	833	*D. G. Oscier, A. Worsley, S. Darlow, A. Figes, J. D. Williams and T. J. Hamblin*
Development and validation of a cellular transplant model for leukemia in Fischer rats: a short-term assay for potential anti-leukemic chemicals	841	*M. P. Dieter, C. W. Jameson, J. E. French, S. Gangjee, S. A. Stefanski, R. S. Chhabra and P. C. Chan*
HLA-DR molecules on ALL cells are electrophoretically unique	851	*J. M. Pesando, P. Hoffman and M. A. Stucki*
Endothelial cell receptors on leukemic plasma cells	863	*V. Kalász, T. Pap, G. Csanaky and G. Kelényi*

Number 10

Studies on the relationship between protein kinase C and differentiation of human promyelocytic leukemia cells induced by retinoic acid	869	*Xingzhong Wu, Guoying Shao, Surong Chen, Xuewen Wang and Zhen-Yi Wang*
Comparison of dexamethasone and lovastatin (mevinolin) as growth inhibitors in cultures of T-cell derived human acute leukemia lines (CEM)	875	*N. Bansal, A. G. Houle and G. Melnykovych*
Cell to cell contact enhances the proliferation of acute myeloid leukemia (AML) cells *in vitro* without an apparent role of adhesion glycoproteins LFA1, MAC1 and P150–95	883	*A. Pulsoni, R. Delwel, M. Salem, I. Touw and B. Löwenberg*
Phenotyping of acute myelomonocytic (AMMOL) and monocytic leukemia(AMOL): association of T-cell-related antigens and skin-infiltration in AMOL	893	*M. Schwonzen, N. Kuehn, B. Vetten, V. Diehl and M. Pfreundschuh*
Leukaemia and nutrition I: malnutrition is an adverse prognostic factor in the outcome of treatment of patients with standard-risk acute lymphoblastic leukaemia	899	*E. Lobato-Mendizábal, G. L. Ruiz-Argüelles and A. Marín-López*
New molecular marker in AML: DNA-fingerprint differences between leukemic phase and remission in acute myeloid leukemia	907	*S. Pakkala, P. Helminen, T Ruutu, U. M. Saarinen and L. Peltonen*
Characterization of lympho-myeloid-erythroid-megakaryocytic stem cells in peripheral blood of hairy cell leukemia patients	915	*R. Michalevicz, S. Baron, S. Brill and E. Sahar*
Clinical value of long-term maintenance chemotherapy in 5-year survivors of acute leukemia	921	*K. Kawashima, N. Hamajima, K. Yamada and H. Saito*

Efficient formation of cytosine arabinoside-5'-triphosphate in leukemic blasts of human T-cell acute lymphoblastic leukemia — 931 *M. Tanaka and S. Yoshida*

Low IL-1 beta production in leukemic cells from progressive B cell chronic leukemia (B-CLL) — 937 *M. Aguilar-Santelises, J.-F. Amador, H. Mellstedt and M. Jondal*

Brief Communication

A novel dye exclusion assay for measurement of cell response following *in vitro* exposure to radiation or drugs — 943 *J. A. Hanson, E. A. Bean, S. R. Nute and J. L. Moore*

Letter to the Editors

Soluble interleukin-2 receptor released locally as an indicator of central nervous system relapse in adult patients with acute lymphoblastic leukemia — 949 *Chao-Sung Chang, Hong-Wen Liu, Sheng-Fung Lin and Tyen-Po Chen*

951 Announcement

Number 11

Recombinant lymphotoxin enhances the growth of normal, but not of chronic myeloid leukemic, human hematopoietic progenitor cells *in vitro* — 953 *U. Gullberg and E. Nilsson*

PMN cells from chronic myeloid leukemia (CML) patients show defective chemotaxis in remission — 959 *N. R. Naik, S. H. Advani and A. N. Bhisey*

Prognostic implication of sequential bone marrow cultures in the myelodysplastic syndromes — 967 *Y. Yoshida, C. Yoshida, K. Tohyama, S. Ohmori, M. Ohmori, Y. Ueda, Y. Taniguchi and H. Uchino*

Proliferative response of highly purified B chronic lymphocytic leukemia cells in serum free culture to interleukin-2 and tumor necrosis factors alpha and beta — 973 *R. Moberts, H. Hoogerbrugge, T. van Agthoven, B. Löwenberg and I. Touw*

Cytotoxicity of methotrexate and trimetrexate and its reversal by folinic acid in human leukemic CCRF-CEM cells with carrier-mediated and receptor-mediated folate uptake — 981 *L. J. van der Veer, G. R. Westerhof, G. Rijksen, J. H. Schornagel and G. Jansen*

A new experimental model for *in vivo* studies on differentiation and proliferation of leukemic cells using a mouse myeloid leukemia aneuploid line — 989 *M. Hayashi, J. Okabe-Kado and M. Hozumi*

Prolonged survival of mice with myeloid leukemia by subcutaneous injection of recombinant human G-CSF — 1001 *M. Bessho, K. Susaki, K. Hirashima, M. Tamura and M. Ono*

Polyclonal increase of HTLV-I provirus-carrying lymphocytes in HTLV-I-carrier rabbits transplanted with Shope carcinoma cells — 1009 *K. Ogawa, M. Kawanishi, S. Matsuda, T. Isono and A. Seto*

Ph-negative T cells in a patient with chronic myelogenous leukemia for twenty-eight years — 1019 *P. C. Nowell, J. B. Finan, J. S. Moore, L. Jackson and A. Weiss*

Detection of *fos* oncogene products by monoclonal antibody FO-120 in lymphoproliferative disorders — 1025 *T. Kanaitsuka, Y. Namba, Y. Zu, K. Ishii, T. Ashihara, M. Hanaoka and T. Suchi*

Number 12

Annotation

Is transplantation in first remission AML more effective than in advanced leukemia? — 1035 *R. P. Gale and A. Butturini*

Review

Rational use of biological response modifiers in hematological malignancies—a review of treatment with interferon, cytotoxic cells and antibodies — 1039 *C. H. Janson, Mahmood Tehrani, H. Wigzell and H. Mellstedt*

Effects of an anti HLA-DR immunotoxin on leukaemia cells and hematopoietic progenitors
1047 *C. Demur, J. M. Derocq, P. Poncelet, M. Chiron, F. Roubinet, J. P. Jaffrezou, C. Bordier and G. Laurent*

Detection of BrdU in the regenerating bone marrow cells of a patient with AML
1055 *A. Raza, S. Gezer, I. Mehdi and H. D. Preisler*

Molecular characterization of Ph'+ hybrid acute leukemia
1061 *F. Lo Coco, G. Basso, P. F. di Celle, A. Tassinari, D. Pasqualetti, M. R. De Cuia, M. C. Putti, G. Del Poeta, C. Ponzetto, G Saglio and R. Foa*

Blood responses under chronic low daily dose gamma irradiation: I. Differential preclinical responses of irradiated male dogs in progression to either aplastic anemia or myeloproliferative disease
1069 *T. M. Seed, B. A. Carnes, D. V. Tolle and T. E. Fritz*

Suppression of mast cell colony formation by a low molecular weight fraction of fetal calf bone marrow extract
1085 *M. Lenfant, D. Sotty, J. Wdzieczak-Bakala, K. Itoh, K. Shirata, K. Sugimoto and K. J. Mori*

Induction of differentiation in HL-60 cells by retinoic acid and lymphocyte-derived DIF but not by recombinant G-CSF and GM-CSF
1091 *Sheng-Yuan Wang, Shih-Tung Liu, Shur-Jen Wang and Chi-Kuan Ho*

Analysis of cellular heterogeneity in the response of human leukemic cells to photosensitization induced by pyrene-containing fatty acid
1099 *E. Fibach, E. A. Rachmilewitz and S. Gatt*

Regulation of IgM biosynthesis in human chronic lymphocytic leukemia. Normal and neoplastic B cells respond differently to TPA
1105 *S. Guazzi, R. Sitia and A. Rubartelli*

Effects of retinoic acid, 1,25-dihydroxyvitamin D3, cytosine arabinoside and α-interferon on bone marrow cells from patients with myelodysplastic syndromes
1113 *E. Hellström, K. H. Robèrt, E. Soppi, Å. Öst, P. O. Putkonen and G. Gahrton*

Reversal of enzymic phenotype of thymidine metabolism in induced differentiation of HL-60 cells
1123 *Y. Hashimoto, T. Shiotani, J. Fujita, Y. Yamaji, H. Futami, N. Yamauchi, M. Bungo, H. Nakamura, T. Tanaka and S. Irino*

Hemopoietic features of splenectomized mice bearing IL-3 producing T cell leukemia
1131 *H. Sawada, K. Sugimoto, K. Aramaki and K. J. Mori*

i Volume 13 Title Section, Contents and Author Index